




MU 800Hi - CAPPED CURTAIN WALL SYSTEM

Sash insert details




Casement insert
28mm glazing




Bonded sash insert
28mm glazing




MU736
Packer for 36 mm
glazing inserts



MU740
Packer for 40mm
glazing inserts




MU754
Packer for 54mm
glazing inserts




Casement insert
40mm glazing


For 36mm glazing fit MU736
For 40mm glazing fit MU740
For 54mm glazing fit MU754



For 32mm glazing
4mm packer required




Bonded sash insert
40mm glazing




MU 800Hi - CAPPED CURTAIN WALL SYSTEM

Door insert details




Door insert: Open out 28mm glazing.
For open in doors use
XT6212 frame and XT6026 door sash




Door insert: Open in 28mm glazing




MU736
Packer for 36 mm
glazing inserts



MU740
Packer for 40mm
glazing inserts





MU754
Packer for 54mm
glazing inserts




Door insert: Open out 40mm glazing.
For open in doors use
XT6212 frame and XT6026 door sash


For 36mm glazing fit MU736
For 40mm glazing fit MU740
For 54mm glazing fit MU754



For 32mm glazing
4mm packer required






Commercial door into curtain wall




MU 800Hi - CAPPED CURTAIN WALL SYSTEM

Typical jamb detail




MU 800Hi - CAPPED CURTAIN WALL SYSTEM


Typical door jamb detail




Open out,
internally glazed XT66 rebate door




Open out, internally glazed XT66 rebate door,
40mm glazing



Open in, internally glazed XT66 rebate door
(40mm Triple glazing achievable as per open
out detail shown above)




Commercial door into curtain wall
(Max thickness of glass into commercial door is 28mm)




MU 800Hi - CAPPED CURTAIN WALL SYSTEM



Corner assemblies



External corner with MU 795 & MU 782



Internal corner with MU 795



MU 800Hi - CAPPED CURTAIN WALL SYSTEM

Typical head detail - sloped glazing

